



SUDRISTI

Sudrishti Enterprises Pvt. Ltd was funded in 2015 in order to provide sales as well as service of all kinds of ophthalmic product and equipments in Nepalese market and territory. Since then we have become a significant participant in the all over ophthalmology market. This is grounded in cutting-edge innovation and breakthrough technology, transforming the way eye diseases and conditions are treated. We offer a broad spectrum of eye care products and are driven by societal needs for high-quality products at affordable prices; as a result of which, our products are well recognized and used by leading eye care institutions and ophthalmologists.

We are committed to quality service and delivery as understands that the health, well being and lives of many individuals depends on its fulfilment of this promise. We believes expanding its reach and partnering with medical professionals, health care providers and manufacturers of technical solution over the country.

PRODUCTS

CATALOG

Monofocal IOL


OcuFlex™





Foldable Hydrophilic Intraocular Lens

Monofocal IOL

Foldable - Single Piece - UV Blocking - Acrylic



- The lens design ensures smooth insertion and proper Positioning inside the eye.
- Non Ionic Nature of Material ensures less incidence of PCO.
- Material is UV block incorporated ensuring adequate UV protection.

Specification:	Model	ANU6	ANU6-AS	RYCF	RYCF-6
	ANU6	Hydrophilic Acrylic			
	ANU6-AS	0.0 D to +40.0 Diopter (0.5 D steps)			
		6.00 mm			
		12.50 mm			
		Spherical & Aspheric in all Design			
		0° (Plano)			
		Modified C-L Haptic		Double Haptic	
		1.465			
		118.0 (US Biometry)*			

*The values are of estimates only. It is recommended that the surgeon derive his / her own values based on data of the eye to be operated upon & characteristic of IOL.



Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

Monofocal IOL

Patented Technology

Ultima^{PLUS} Aspheric Optics




Innovative Intraocular Lens

Aspheric Optic | Foldable Acrylic
360° Square Edge | Aberration Neutral

Monofocal IOL

Foldable Hydrophilic Aspheric Intraocular Lens



- The lens design ensures smooth insertion and proper Positioning inside the eye.
- The 360° Square Edge reduces the incidence of PCO.
- Biconvex Aspheric Optic ensures that the lens is virtually Aberration Neutral
- Better visual Acuity and Enhanced Contrast

Specification:	Model	Ultima	Ultima 4Q
	Material	Hydrophilic Acrylic	
	IOL Powers	+10.0 D to +30.0 Diopter (0.5 D steps)	
	Optic Diameter	6.00 mm	6.00 mm
	Overall Length	12.50 mm	11.00 mm
	Optic Type	Aspheric Optic	
	Haptic Angulation	0° (Plano)	
	Haptic Configuration	Modified C-L Haptic	Four Haptic
	Refractive Index	1.465	
	A-Constant	117.9 (SRK-T, US Biometry)*	118.04 (SRK-T, US Biometry)*
		118.4 (SRK-T, Optical Biometry)*	118.28 (SRK-T, Optical Biometry)*

*The values are of estimates only. It is recommended that the surgeon derive his / her own values based on data of the eye to be operated upon & characteristic of IOL.

Hydrophobic
Monofocal IOL

Manufactured by Synchronised Cast Molding Procedure

ACRIOL™




Innovative Intraocular Lens

Aspheric Optic | Square Edge | Micro Incision Lens


Patent No. EP: 2591025
US: 9622853

Hydrophobic
Monofocal IOL

Proprietary Hydrophobic Material with UV Protection



- The lens design ensures smooth insertion and proper Positioning inside the eye.
- Square Edge reduces the incidence of PCO.
- Reduces the incidence of Vacuole formation.
- The material has a Refractive Index of 1.53 which is optimal to prevent reflectivity
- Proprietary Hydrophobic Material eliminates Glistening Effect.

Specification:	Model	AS-6
	Material	Hydrophobic Acrylic
	IOL Powers	+0.0 D to +30.0 Diopter (0.5 D steps)
	Optic Diameter	6.0 mm
	Overall Length	13.00 mm
	Optic Type	Aspheric Optic
	Haptic Angulation	0° (Plano)
	Haptic Configuration	Modified C-L Haptic
	Refractive Index	1.53
	A-Constant	118.52 (SRK-T, US Biometry)*
		119.0 (SRK-T, Optical Biometry)*

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureswor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,




sudrishti2015@gmail.com

Hydrophobic
Monofocal IOL

Manufactured by Synchronised Cast Molding Procedure

ACRIOL™ EC




Aspheric Optic | Square Edge
Blue Blocker Yellow | Micro Incision Lens

Patent No. EP: 2591025
US: 9622853


Hydrophobic
Monofocal IOL

Yellow Hydrophobic Acrylic Intraocular Lens



- The lens design ensures smooth insertion and proper Positioning inside the eye.
- Square Edge reduces the incidence of PCO.
- Reduces the incidence of Vacuole formation.
- The material has a Refractive Index of 1.53 which is optimal to prevent reflectivity
- Proprietary Hydrophobic Material eliminates Glistening Effect.

Specification:



Model	AS-6Y
Material	Hydrophobic (Yellow Tinted)
IOL Powers	+0.0 D to +40.0 Diopter (0.5 D steps)
Optic Diameter	6.0 mm
Overall Length	13.00 mm
Optic Type	Aspheric Optic
Haptic Angulation	0° (Plano)
Haptic Configuration	Modified C-L Haptic
Refractive Index	1.53
A-Constant	118.8 (US Biometry)*
	119.3 (Optical Biometry)*

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureswor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

Patented Technology


Ultima^{UHDOF} Natural



Ultra High Depth of Focus

Modified Surface | Aspheric Optic
Enhanced Contrast | 360° Square Edge

Innovative Intraocular Lens



- ÿ 'Ultra High Depth of Focus' optic design
- ÿ Hyper aspheric modified surface
- ÿ The precise 360° square edge reduces the incidences of PCO
- ÿ Natural yellow tinted material provides superior protection from hazardous blue spectrum

Specification:	Model	UNA +
	Material	Hydrophilic Acrylic (Yellow Tinted)
	IOL Powers	0.0 D to +40.0 Diopter (0.5 D steps)
	Optic Diameter	6.00 mm
	Overall Length	12.50 mm
	Optic Type	Negative Aspheric Optic
	Haptic Angulation	0° (Plano)
	Haptic Configuration	Double Haptic
	Refractive Index	1.465
	A-Constant	118.0 (US Biometry)*

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

Hydrophobic
Preloaded IOL

Manufactured by Synchronised Cast Molding Procedure

VACRIOL™ Versatile

Preloaded IOL





Aberration Controlled | Preloaded Delivery System
Yellow Foldable | Micro Incision Lens

Patent No. EP: 2591025
US: 9622853

Hydrophobic
Preloaded IOL

ELP Optimized Design for Predictable Refractive Outcome



Specification:	Model	AS-6VP
	Material	Hydrophobic (Yellow Tinted)
	IOL Powers	+0.0 D to +27.0 D (0.5 D Steps)
	Optic Diameter	6.00 mm
	Overall Length	11.00 mm (Customized Range 10.50 mm to 12.00 mm)
	Optic Type	Negative Aspheric Optic
	Haptic Angulation	0° (Plano)
	Haptic Configuration	Plate - Accommodative Haptic
	Refractive Index	1.53
	A-Constant	118.8 (US Biometry)*
		119.3 (Optical Biometry)*

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureswor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

Manufactured by Synchronised Cast Molding Procedure

Magnificent

UHD

Ultra High Depth of Focus



Precise Cast Molded Hydrophobic MICL

Aspheric Optic | Blue Blocker Yellow | Square Edge
Enhanced Contrast

Proprietary Hydrophobic Material with UV Protection



- The lens design ensures smooth insertion and proper Positioning inside the eye.
- Square Edge reduces the incidence of PCO.
- Reduces the incidence of Vacuole formation.
- The material has a Refractive Index of 1.543 which is optimal to prevent reflectivity
- Proprietary Hydrophobic Material eliminates Glistening Effect.

Magnificent
UHD
Ultra High Depth of Focus

Platform	Ultra High Depth of Focus, Foldable, Single Piece, Synchronised cast molded hydrophobic acrylic IOL
Model	AS-6A
Optic Design	UHD (Patented Technology)
Optic Size	6.00 mm
Haptic Size	13.00 mm
Haptic Design	C loop haptic (suitable for MICS)
Haptic Angle	0°, Uniplanar
Material	Hydrophobic acrylic polymer with UV filter & blue light blocker
Aspheric Value	Negative Asphericity
Abbe Number	> 52
Light Transmission	> 90.0 %
Square Edge	All Enhanced Square Edge
Refractive Index Wet	25°C; 1.543 ±0.002
Acoustic Constant	118.8
Optical Constant	SRK-II: 119.5 SRK-T: 119.3 Haigis a0, a1, a2: 1.362, 0.4, 0.1 Hoffer Q pA CD: 5.57 Holladay sf: 1.79 Barratt Universal IOL: 1.91
Diopter Power Range	sph 0.0 D to +4.0 D (0.5 D increment)

*The mentioned values are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureswor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

Patented Technology

iDIFF^{Plus}™



Innovative Refractive - Diffractive Intraocular Lens



Refractive - Diffractive Optic | Slanted Transition Zones
360° Square Edge | Aberration Neutral

Patent No. EP: 2290411
US: 9370416

Intellectually Redefined Vision



- New Generation Refractive - Diffractive Presbyopic IOL.
- Provides Better Visual Outcomes by Reducing Reflected Glare.
- Provides Full Range of Vision.
- Reduces Pupil Dependency.
- Balanced Distribution of Light Energy for all Pupils.
- Reduces Scattering of Light & Halos through Slanted transition Zones.
- Less Sensitive to De-Centration.

Specification:	Model	iDIFF-R	iDIFF-R1	iDIFF-R2	iDIFF-P	iDIFF-P1	iDIFF-P2
	Material	Hydrophilic Acrylic					
	IOL Powers	+0.0 D to +30.0D (in 0.5 D steps)					
	Addition for Near Focus	+4.0 D	+3.5 D	+3.0 D	+4.0 D	+3.5 D	+3.0 D
	Customized Optic Diameter	6.00 mm			6.00 mm		
	Customized Overall Length	12.50 mm			11.00 mm		
	Optic Type	Refractive - Diffractive Aspheric Optic					
	Haptic Angulation	0°					
	Haptic Configuration	Double Haptic			Plate Haptic		
	Refractive Index	1.465					
	A-Constant	117.9 (SRK-T, US Biometry)*			118.04 (SRK-T, US Biometry)*		
		118.4 (SRK-T, Optical Biometry)*			118.28 (SRK-T, Optical Biometry)*		

*The values are of estimates only. It is recommended that the surgeon derive his / her own values based on data of the eye to be operated upon & characteristic of IOL.



Tripureswor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,




sudrishti2015@gmail.com

Hydrophobic
Toric IOL

Manufactured by Synchronised Cast Molding Procedure

ACRIOL^{EG}
TORIC




Astigmatism Correcting IOL
Aspheric Optic | Yellow Foldable | Micro Incision Lens


Patent No. EP: 2591025
US: 9622853

Hydrophobic
Toric IOL

Proprietary Hydrophobic Material with UV Protection



- Aspheric Optic profile ensures clear vision.
- Proprietary Hydrophobic Acrylic material with yellow tint mimics to the Adult Natural Lens.
- Design Ensures perfect stability inside the capsular bag, lowering incidence of PCO.
- Manufactured by Synchronized cast molding procedure which ensures predictable outcome.

Specification:	Model	AS-6T1	T1.5	T2	T2.5	T3	T3.5	T4	T4.5	T5	T5.5	T6	
	Material	Hydrophobic Acrylic (Yellow Tinted)											
	IOL Powers	+0.0 D to +30.0 D (in 0.5 D Steps) (Spherical Equivalent Diopters)											
	Cylinder Range	+1.0 D to +6.00 D (in 0.5 D Steps)											
	Optic Diameter	6.0 mm											
	Overall Length	13.00 mm											
	Optic Type	Toric Aspheric Optic											
	Haptic Angulation	0° (Plano)											
	Haptic Configuration	Modified C-L Haptic											
	Refractive Index	1.53											
	A-Constant	118.52 (SRK-T, US Biometry)*											
		119.0 (SRK-T, Optical Biometry)*											
	Online Calculator	www.toric.caregroupindia.com											

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,




sudrishti2015@gmail.com

Hydrophilic
Toric IOL

Ultima Smart Toric

Customized Design, Predictable Refractive Outcome



Innovative Intraocular Lens
Customized Optic Size & Overall Length
for Each Patients.

Patent EP: Publ.#: 3188690
US: Publ.#: 2017-0304047-A1


Hydrophilic
Toric IOL

Treating Astigmatism was never so easy

- ✓ No Axis marking
- ✓ No Rhaxis Marking
- ✓ No Alignment
- ✓ No Lens Rotation
- ✓ ELP Optimized Design
- ✓ Anti - Rotation haptic Pads



UST Ensures 100% Predictable Refractive Outcome

Specification:	Model	UST
	Material	Hydrophilic Acrylic (Yellow Tinted)
	IOL Powers	-10.00 D to +40.00 D (In 0.5 D Steps)
	Cylinder Power	+0.50 D to 10.00 D (in 0.5 D Steps)
		Customized Cylinder Range 11.00 D to 20.00 D (in 0.5 D Steps)
	Optic Diameter	6.0 mm (Customized Range 5 mm to 6.5 mm)
	Overall Length	11.00 mm (Customized Range 11 mm to 14 mm (0.25 Steps))
	Optic Type	Toric Aspheric Optic
	Haptic Angulation	0 Degrees (Planner)
	Haptic Configuration	Modified Plate haptic
	Refractive Index	1.465
A-Constant	118.4 (SRK-T, US Biometry)*	
	118.28 (SRK-T, Optical Biometry)*	
Online Calculator	www.toric.caregroupindia.com	

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.

Ultima PLUS SmartToric Multifocal



The Perfect Astigmatism Correcting IOL-
Presbyopia Free Vision for your Patient

Patent EP: Publ.#: 3188690
US: Publ.#: 2017-0304047-A1

Customized Astigmatism Correcting Presbyopic IOL



- ✓ Refractive - Diffractive Optic
- ✓ Astigmatism Correcting IOL
- ✓ 360° Square Edge
- ✓ Aspheric Optic
- ✓ Enhanced Contrast
- ✓ No Axis marking
- ✓ No Rhexis Marking
- ✓ No Alignment
- ✓ No Lens Rotation
- ✓ ELP Optimized Design
- ✓ Anti - Rotation haptic Pads


Specification:	Model	UTM 1	UTM 1.5	UTM 2	UTM 2.5	UTM 3	UTM 3.5	UTM 4	
	Material	Hydrophilic Acrylic (Yellow Tinted)							
	IOL Powers	+0.0 D to +30.0 D (in 0.5 D Steps) (Spherical Equivalent Diopters)							
		Customized Range 35.00 D to 40.0 D (in 0.5 D Steps)							
	IOL Cylinder Power	1.00 D	1.50 D	2.00 D	2.50 D	3.00 D	3.50 D	4.00 D	
	Addition for Near Focus	+3.5 D							
	Optic Diameter	6.00 mm							
	Overall Length	10.50 mm to 12.00 mm							
	Optic Type	Anterior - Diffractive Aspheric Posterior - Toric Optic							
	Haptic Angulation	0° (Plano)							
	Haptic Configuration	Plate Haptic							
Refractive Index	1.465								
A-Constant	118.04 (SRK-T, US Biometry)*								
	118.28 (SRK-T, Optical Biometry)*								
Online Calculator	www.toric.caregroupindia.com								

*The values are of estimates only. It is recommended that the surgeon derive his / her own values based on data of the eye to be operated upon & characteristic of IOL.

Patented Technology



Acriol Toric Multifocal



Innovative Refractive - Diffractive Intraocular Lens

Refractive - Diffractive Optic | Astigmatism Correcting
Square Edge | Aspheric Optic

Patent US: Publ.#: 2015-0359625-A1

Complete Synchronized Vision With Astigmatism Correction



- ÿ Provides multifocal vision (Near, Intermediate and Distance)
- ÿ Compensates precisely for Astigmatic Errors of the Eye.
- ÿ Reduces pupil dependency.
- ÿ Balanced Distribution of Light Energy for all Pupils.

Specification:	Model	AS-6T1	AS-6T1.5	AS-6T2	AS-6T2.5	AS-6T3	AS-6T3.5	AS-6T4
	Material	Hydrophobic Acrylic (Yellow Tinted)						
	IOL Powers	+6.0 D to +30.0 D (in 0.5 D Steps) (Spherical Equivalent Diopters)						
	IOL Cylinder Power	1.00 D	1.50 D	2.00 D	2.50 D	3.00 D	3.50 D	4.00 D
	Addition for Near Focus	+3.25D						
	Optic Diameter	6.00 mm						
	Overall Length	13.00 mm						
	Optic Type	Anterior - Diffractive Aspheric Posterior - Toric Optic						
	Haptic Angulation	0° (Plano)						
	Haptic Configuration	Modified C-L Haptic						
	Refractive Index	1.53						
	A-Constant	118.6 (SRK-T, US Biometry)*						
		119.08 (SRK-T, Optical Biometry)*						
	Online Calculator	www.toric.caregroupindia.com						

*The values are of estimates only. It is recommended that the surgeon derive his / her own values based on data of the eye to be operated upon & characteristic of IOL.


Hydrophilic
Trifocal IOL



The True Trifocal IOL
For Near, Intermediate and Distance Vision

Hydrophilic
Trifocal IOL


Intellectually Redefined Vision



- Provides Trifocal Vision (Near, Intermediate and Distance)
- Reduces Pupil Dependency

- The True Trifocal IOL
- Balanced Distribution of Light

Specification:



Model	TDIFF-P1
Material	Hydrophilic Acrylic
IOL Powers	+0.0 D to +40.0 D in 0.5 D Steps <small>(Spherical Equivalent Diopters)</small>
Addition for Near Focus	+3.5 D for Near +1.8 D for Intermediate
Optic Diameter	6.00 mm
Overall Length	10.75 mm to 11.25 mm
Optic Type	Diffractive Trifocal Aspheric Optic
Haptic Angulation	0° (Plano)
Haptic Configuration	Modified Plate Haptic
Refractive Index	1.465
A-Constant	118.04 (SRK-T, US Biometry)*
	118.28 (SRK-T, Optical Biometry)*

*The mentioned value are estimates. It is recommended that the surgeon derives his/her own values based on the refractive outcome.



Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu




014100555,



sudrishti2015@gmail.com

Patented Technology *



**IMPLANTABLE
PHAKIC** Contact Lens

Good-bye To Daily Inconvenience Of Glasses

 Central Hole | No Light Scattering | No Glare
 Proprietary Material

 Patent EP: Publ.#: 2016-0058558-A1
 US: Publ.#: 2983618


Implanted Worldwide In More Than 20 Countries



- Excellent Quality of Vision.
- Fast Recovery.
- No Corneal Tissue Removed.
- Preserves Natural Accommodation.

- Retains Corneal Asphericity.
- Very Stable Over the time.
- No Regression.
- Any Customization is Possible.

Complete Range Of Refractive Solution For Myopia, Hyperopia, Astigmatism & Presbyopia

Specification:	Model	IPCL*	IPCLT*	IPCLD*	IPCLDT*
	Material	Hybrid Hydrophilic Acrylic			
	IOL Powers (Spherical Equivalent Diopters)	-1.00 to -30.00 D, +1.00 to +15.00 D (in 0.5 D Steps)			
	IOL Cylinder Power	+0.50 D to +10.00 D (in 0.5 D Steps)			
	Addition for Near Focus	+1.00 D to +4.00 D (in 0.5 D Steps)			
	Optic Diameter	6.60 mm (It can be customized upto 7.5 mm)			
	Overall Length	11.00 to 14.00 mm (in 0.25 mm Steps)			
	Optic Type	Aspheric			
	Vault Height	1.2 mm to 1.8 mm			
	Refractive Index	1.465			
	Online Calculator	http://www.ipcliol.com/calc			

Suction Trephine




Artificial Anterior Chamber




Fixed Depth Trephine



Anterior Chamber Cannula



Capsule Polishers




Glaucoma shunt



MODEL – I (Model Eye For Indirect Ophthalmoscopy & Retinoscopy)



Laser-I (Laser Practice Eye)



Jacob CAIRS Trephine



Phaco-I (Phaco Practice Eye)




I – STAND (Eye Ball Stand)



EyeBall Stand with Fixation Head



Phaco Practice Eye Fixation Head



Silicon Tip Cannula


Vitrectomy Irrigating Lens



Backflush Handle (Active Aspiration)



Backflush Handle
(Passive Aspiration)



Silicocare (silicon band)



Temporary Keratoprosthesis



Intraocular Magnet



Backflush Flute Needle with
Silicon Tip Cannula



Vitrectomy Lens Set



Steady Ring (Self Stabilizing Ring)



Micro Incision Blade with Safety



Micro Incision Blade (New Ultra Sharp)



Peroperative Keratoscope




Anterior Chamber Maintainer



Lens Glide



Eye Shield



Irrigating Vitrectomy Lens Set



Flute Handle (Charles)



Capsule Care (A Capsular Bag Supporting Device)



Capsule Support Segment (Gupta Segment)



Iris Care (Flexible Iris Retractors)



Capsular Tension Ring



Capsular Tension Ring with Scleral Fixation Arm



Buonsanti Dual Hoo



Capsular Tension Ring Injector



Preloaded Capsular Tension Ring



Capsule Support Segment (CANABRAVA Gupta Segment)





20D Aspheric Lens



Single Mirror Goniolens



Two Mirror Goniolens



Four Mirror Goniolens



Three Mirror Goniolens



90D Aspheric Lens







YAG Capsulotomy Lens



Fluoro Touch (Fluorescein Sodium Ophthalmic Strips)



Green Touch (Lissamine Green Strips)



Rose Touch (Rose Bengal Strips)



Tear Touch (Schirmer Tear Test Strips)



Tear Touch Blu (Schirmer Tear Test Strips With Blue Mark)





Occluder with or without Pinhole



Occluder (Multi Purpose)



Slit Lamp 3step/5step



Trepine Punch (Non Vacuum)



Endothelial Punch




Teflon Block




Trepine Punch (Vacuum)



Corneal Trepine



Sterilization Tray



Lasik Cannula



Lens Removal Cannula



Coaxial I & A Handpiece - Disposable



Hydrodissection/
Hydrodelineation Cannula



Cortex Aspirating Cannula



Irrigating & Aspirating Cannula



PVA Sponge Spears





PVA Sponge Spears NEO



Cystotome (formed)





Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com

ACCESSORIES

COMPARISON



Confirmation tests
Metal rings +/-0.25 dpt



Confirmation tests
Metal rings +/-0.50dpt



Jackson cross cylinders
Metal rings +/-0.25 dpt



Jackson cross cylinders
Metal rings +/-0.50 dpt

OCCLUDERS



White plastic
occluder with plain
handle



Black plastic
occluder with plain
handle



Red plastic occluder
with plain handle



Red multiple
maddox rod



Translucent
Spielmann occluder



White occluder

GOGGLES




Bagolini glasses



Red green goggle
strictly complementary
colors

OPHTHALMOSCOPY-SKIASCOPY



Retinoscopy racks 16
large diameter lenses
(16 mm) 32 powers



COLOR TESTS

FARNSWORTH COLOR TESTS



15D Farnsworth test




Farnsworth 15HUE desaturated (Lanthony)



100 Charts for 15D test




100 charts for DESA 15HUE test



100 charts for 28 HUE test




100 Charts for Lanthony 40HUE




100 charts for 100HUE test

ISHIHARA TESTS



38 plates



10 plates (children, geometric drawing)



TRIAL LENSES SETS & FRAMES

TRIAL LENSES SETS

Dim. trial lens tray only 35 x 26 x 5 cms

Standard series, metal rings

84 lenses and 6 accessories :

34 concave from -10 dpt to -0.25 dpt

34 convex lenses from +0.25dpt to + 10 dpt

16 cylindrical concave lenses from -3.00 dtp to -0.25 dpt

Accessories :

Occluder, pinhole, slit, red maddox, green lens, red lens



Dim. trial lens tray only 52 x 35 x 5 cms

Large series, metal rings

80 spheric concave lenses from -20 dpt to

-0.12 dpt 80 spheric convex lenses from

+0.12 dpt to +20 dpt 40 cylindrical concave

lenses from 6.00 dpt to -0.12 dpt 40 cylindri-

cal convex lenses from +0.12 dpt to +6.00

dpt 12 prims froms +0.50 dpt to + 8 dpt

Accessories :

1 red, 1 green, 1 black, 2 plain lenses, 2

Maddox, 1 slit, 1 Polariscope, 2 cross, 1

frosted, 2 pinholes, 2 cross cylinder



Dim. trial lens tray only 35.5 x 24 x 5 cms

Standard series, plastic rings

98 lenses and 6 accessories

36 spheric concave lenses from -10.00 dpt to -0.25 dpt

36 spheric convex from +0.25 dpt to +10.00 dpt

12 cylindrical concave lenses from -3.00 dpt to -0.25 dpt

12 cylindrical convex lenses from +0.25 dpt to +3.00 dpt

1 prism of 0.5 and 1 prism of 1

Accessories :

Occluder, pinhole, slit, frosted , red lens, Jackson 0,25



Dim. trial lens tray only 58 x 38 x 5 cms

Large series, plastic rings

228 lenses and 10 accessories

68 spheric concave lenses from -20.00 dpt to -0.25 dpt

8 spheric concave lenses from +0.25 dpt to +20.00 dpt

38 cylindrical concave lenses from -6.00 dpt to -0.12 dpt

38 cylindrical convex from +0.12 dpt to +6.00 dpt


10 prisms lenses (1,2,3,4,5,6,7,8,9,10)

Accessories :

2 pin holes (1 small et 1 large model) - 1 slit, 2 occluders - 1

white Maddox - 1 frosted - 1 red lens - 1 green lens - 1 plain lens


TRIAL FRAMES



Children OCULUS
trial frame




Simple OCULUS
trial frame



Deluxe trial frame



UB3 Universal Oculus
Trial Frame



UB4 Universal
Oculus Frame



UB6 Universal
Oculus Frame



STEREOSCOPY

STEREOSCOPIC TESTS



Stereoscopic test fly
Wirt's test (+ polarized frame)



TNO test
7 charts + red green goggle

TNO test without
red green goggle



Stereoscopic tests lang's
test 1



Stereoscopic test lang's
test 2



Stereotest polaroid
frame



Randot stereo test



Frisby stereo test

WORTH TEST



Near Vision Worth test




Red green goggle
strictly complementary
colors

REFRACTION

NEAR VISION TESTS

Parinaud set with 3 near vision tests without frame. (With frame 7190017)



EI Hand acuity scale for Illiterate




EL Parinaud Hand acuity scale.



Dr. Thibaudet's acuity test

VISION TESTS



REF 8630-8004-00
Lancaster chart
50 pads



REF 8630-1699-04
HESS-WEISS
Flashlight, screen, schemes, user manual



SUDRISTI



Tripureshwor-11 (House No: 32) Dev Shree Marg, Kathmandu



014100555,



sudrishti2015@gmail.com